

TEST REPORT

Mechanical & Hardgoods Lab

Report No : HY/2009/30274

Page : 2 of 3

Test Results:

Lead in accessible substrate materials

Method: With reference to US EPA Method 3050B for Lead Content. Analysis was performed by ICP-AES

Test item	<u>1</u>	Permissible Limit**
Lead (Pb)	N.D.	300
Conclusion	PASS	---

** Conclusion is based on the 300ppm limit requirement, effective 14 August, 2009. The requirements for lead in substrate in children's products is summarized below

Scope	Requirement	Effective date
Lead in substrate other than paint / similar surface coating material	$\leq 600\text{ppm}$	10 February 2009
	$\leq 300\text{ppm}$	14 August 2009
	$\leq 100\text{ppm}$	14 August 2011

Sample Description:

1. Silver colored metal.

Note:

1. mg/kg = ppm; 0.1% = 1000ppm
2. ND = not detected
3. Method Detection Limit = 2ppm

The content of this TDR is in accordance with the original issued papers for reference only. TDR is issued for information only. The test results and the test methods in this test report refer only to the samples tested. This test report cannot be reproduced, copied, stored in any retrieval system, written, printed or stored in any other form without permission of the Company.


This Test Report is issued by the Company under its General Conditions of Service which is available on request or accessible at <http://www.twsgs.com/eng/conditions.html>. Attention is drawn to the limitation of the liability, indemnification and jurisdiction clauses defined therein. Any holder of this Test Report is advised that information contained hereon is not to be used for any other purpose, in any form or by any means, without the prior written consent of the Company. The Company's sole responsibility is to the client and the applicant does not exercise part of a professional responsibility or any other obligations under the jurisdiction applicable. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is prohibited and may result in legal action against the issuer.

TEST REPORT

Mechanical & Hardgoods Lab

Report No : HY/2009/30274

Page : 3 of 3



** End of Report **